Y		
1	Application No.	Applicant(s)
Notice of Allowability	10/809,740	TSURUTA, SUSUMU
	Examiner	Art Unit
	B. James Peikari	2189
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the application filed on 3/24/04 and made special on 2/23/05.		
2. The allowed claim(s) is/are 1-10, now renumbered.		
3. The drawings filed on 24 March 2004 are accepted by the Examiner.		
4.		
 Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 3/24/04 & 2/17/05 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview : Paper No 3), 7. ⊠ Examiner	Informal Patent Application (PTO-152) Summary (PTO-413), b./Mail Date s Amendment/Comment s Statement of Reasons for Allowance

Application/Control Number: 10/809,740 Page 2

Art Unit: 2189

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

- (A) In the Abstract, line 1, replace "The invention relates to a" with "A".
- (B) In the Abstract, line 19 (the last line), delete the comma.
- (C) Replace the title with the following: "STORAGE CONTROL DEVICE WITH A PLURALITY OF CHANNEL CONTROL SECTIONS".
- 2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to James Peikari whose telephone number is (571) 272-4185. The examiner is generally available between 7:00 am and 7:30 pm, EST, Monday through Wednesday, and between 5:30 am and 4:00 pm on Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Kim, can be reached at (571) 272-4182.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only.

Application/Control Number: 10/809,740 Page 3

Art Unit: 2189

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center at 866-217-9197 (toll-free).

B. James Peikari Primary Examiner Art Unit 2189

8/21/05